

Jorgensen, Leland

From: Kalakuntla, Vamshi (ASRC)
Sent: Tuesday, November 18, 2003 4:21 PM
To: Jorgensen, Leland
Subject: Draft prior art search strategy for 09/874128

Dear leland jorgensen,

Please find below a draft prior art search strategy for 09/874128.
Please edit - delete or add terms so that it reflects the novelty of
the application and targets the information you seek.
You can email back to me your changes or call me.
If I do not hear from you I will proceed.

Thank you for your time.

Vamshi Kalakuntla
ASRC Searcher
EIC 2600
CPK2 3C03
(703) 306-0254

s oled or organic(w)(led or light())emit?()(device? ? or diode? ?) or electroluminesc? or electro()luminesc? or el)
s white
s better or efficien? or effective or higher or lower or more or less or greater or lesser or (save or saves or saving)(3n)
(power or electricity or energy or charge or battery?)
s (color or colour or red or green or blue or red()blue()green or rgb)
s au=(Siwinski, m? or Siwinski m?)
s co=(EASTMAN(w)KODAK()COMPANY)
s ic=(G09G-003/32 or G09G-005/00)

IOP | electronic journals

Journal of Physics D: Applied Physics

Journals sitemap:

[Login](#) | [Create account](#) | [Alerts](#)
US[EJS HOME](#)[EJS EXTRA](#)[JOURNAL HOME](#)[SEARCH](#)[AUTHORS](#)[REFEREES](#)[LIBRARIANS](#)[USER OPTI](#)[◀ Previous article](#) | [Next article ▶](#) | [This volume ▲](#) | [Table of contents ▲](#) | [Article options & Content finder ▼](#)

J. Phys. D: Appl. Phys. 34 (21 October 2001) 3083-3087

A white organic light emitting diode with improved stability

Zhang Zhi-lin, Jiang Xue-yin, Zhu Wen-qing, Zhang Bu-xin and Xu Shao-hong

Department of Materials Science, Shanghai University, Jiading, Shanghai 201800, People's Republic of China

Received 27 February 2001

Published 9 October 2001

Abstract. A white organic light emitting diode (OLED) has been constructed by employing a new blue material and a red dye directly doped in the blue emitting layer. For comparison, another white cell with a blocking layer has also been made. The configurations of the devices are ITO/CuPc/NPB/JBEM(P):DCJT/Alq/MgAg (device 1) and ITO/CuPc/NPB/TPBi:DCJT/Alq/MgAg (device 2) where copper phthalocyanine (CuPc) is the buffer layer, N,N'-bis-(1-naphthyl)-N,N'-diphenyl-1,1'-biphenyl-4,4'-diamine (NPB) is the hole transporting layer, 9,10-bis(3,5'-diaryl)phenyl anthracene doped with perylene (JBEM(P)) is the new blue emitting material, N-arylbenzimidazoles (TPBi) is the hole blocking layer, tris(8-quinolinolato)aluminium complex (Alq) is the electron transporting layer, and DCJT is a red dye. A stable and current independent white OLED has been obtained in device 1, which has a maximum luminance of $14\,850\text{ cd m}^{-2}$, an efficiency of 2.88 Lm W^{-1} , Commission Internationale de l'Eclairage coordinates of $x = 0.32$, $y = 0.38$ between $4\text{--}200\text{ mA cm}^{-2}$, and a half lifetime of 2860 h at the starting luminance of 100 cd m^{-2} . Device 1 has a stability more than 50 times better than that of device 2.

URL: stacks.iop.org/0022-3727/34/3083

DOI: 10.1088/0022-3727/34/20/313

PII: S0022-3727(01)22281-5

**recommend
this article****set up an e-
mail alert**

Article options ▼

[Acrobat PDF \(135 KB\)](#)[Gzipped PostScript \(150 KB\)](#)[HTML](#)[References - including
HyperCite® links](#)[Articles citing this article -
including HyperCite® links](#)[Multimedia enhancements](#)[Information about filing
cabinet](#)[Delete this article from filing
cabinet](#)[Information about J. Phys. D:
Appl. Phys.](#)[Save/View/Print abstract](#) - choose format -

[◀ Previous article](#) | [Next article ▶](#) | [This volume ▲](#) | [Table of contents ▲](#)

CONTENT FINDER

Journal of Physics D: Applied Physics ☐

Full Search

Author: Vol/Year: Issue:

Find

Help

Page/Article No:

[Journals Menu](#) | [EJs Extra](#) | [Journal home](#) | [Search](#) | [Authors](#) | [Referees](#) | [Librarians](#) | [User Options](#) | [Help](#) | [Recommend this journal](#)

Setup information is available for [Adobe Acrobat](#) and [Gzip compressed PostScript](#).

EndNote, ProCite ® and Reference Manager ® are registered trademarks of ISI Researchsoft.

Copyright © Institute of Physics and IOP Publishing Limited 2003.

Use of this service is subject to compliance with the terms and conditions of use. In particular, reselling and systematic downloading of files is prohibited.